$\label{eq:table 2.} \begin{tabular}{ll} TABLE~2. Number, incidence $rate^1$, and median days$^2$ away from work for nonfatal occupational injuries and illnesses involving days away from work$^3$ for musculoskeletal disorders$^4$ by part of body and ownership, Tennessee, 2013 $^4$ and $^4$ are the context of the contex$ 

| Part  | Musculoskeletal disorders (MSDs) |                   |                                  |
|---|----------------------------------|-------------------|----------------------------------|
|   | Number                           | Incidence<br>rate | Median<br>days away<br>from work |
| Total private industry <sup>5,6,7</sup>   | 5,950                            | 31.5              | 10                               |
|   |                                  |                   |                                  |
| Neck, including throat  Neck, except internal location of diseases or disorders | 50<br>50                         | .3<br>.3          | 40<br>40                         |
| Frunk   | 3,010                            | 15.9              | 8                                |
| Trunk, unspecified  | 20                               | .1                | 7                                |
| Chest, including ribs, internal organs  | 40                               | .2                | 2                                |
| Chest, except internal location of diseases or disorders                        | 40                               | .2                | 2                                |
| Back, including spine, spinal cord  | 2,360                            | 12.5              | 8                                |
| Back, including spine, spinal cord, unspecified                                 | 1,090                            | 5.8               | 8                                |
| Thoracic region   | 70                               | .4                | 5                                |
| Lumbar region   | 1,140<br>70                      | 6.0<br>.4         | 10                               |
| Abdomen   | 340                              | 1.8               | 26                               |
| Abdomen, except internal location of diseases or disorders                      | 330                              | 1.8               | 25                               |
| Pelvic region   | 220                              | 1.2               | 1 1                              |
| Hip(s)  | 180                              | .9                | l i                              |
| Groin   | 40                               | .2                | 16                               |
| Multiple trunk locations  | 30                               | .1                | 12                               |
| Upper extremities   | 1,790                            | 9.5               | 17                               |
| Shoulder(s), including clavicle(s), scapula(e)                                  | 1,070                            | 5.7               | 19                               |
| Arm(s)  | 250                              | 1.3               | 16                               |
| Arm(s), unspecified   | 90                               | .5                | 126                              |
| Upper arm(s)  | 50                               | .3                | 16                               |
| Elbow(s)  | 50                               | .3                | 20                               |
| Forearm(s)  | 30                               | .2                | 1                                |
| Multiple arm locations  | 30                               | .2                | 8                                |
| Elbow(s) and arm(s)   | 20                               | .1                | 8                                |
| Wrist(s)<br>Hand(s)   | 270<br>120                       | 1.4<br>.6         | 13                               |
| Hand(s), unspecified  | 30                               | .0<br>.2          | 14                               |
| Finger(s), fingernail(s)  | 80                               | .4                | 5                                |
| Finger(s), fingernail(s), unspecified   | 60                               | .3                | 5                                |
| Multiple upper extremities locations  | 90                               | .5                | 24                               |
| Shoulder(s) and arm(s)  | 40<br>20                         | .2<br>.1          | 24<br>42                         |
| Lower extremities   | 880                              | 4.6               | 20                               |
| Leg(s)  | 610                              | 3.2               | 27                               |
| Leg(s), unspecified   | 20                               | .1                | 13                               |
| Knee(s)   | 470                              | 2.5               | 33                               |
| Lower leg(s)  | 110                              | .6                | 5                                |
| Ankle(s)  | 180                              | 1.0               | 7                                |
| Foot (feet)   | 70<br>50                         | .3<br>.3          | 27                               |
| Multiple lower extremities locations  | 20                               | .3<br>.1          | 22                               |
| Multiple body parts   | 220                              | 1.2               | 19                               |
| Neck and back   | 40                               | .2                | 3                                |
| Shoulder(s) and back  | 20                               | .1                | 12                               |
| Other multiple body parts  Multiple body parts, n.e.c.                          | 150<br>150                       | .8<br>.8          | 30<br>30                         |
| Total state government <sup>5,6,7</sup>   | 110                              | 14.7              | 10                               |
| Frunk   | 50                               | 7.2               | 26                               |
| Back, including spine, spinal cord  | 40                               | 5.3               | 26                               |
| Lumbar region   | 30                               | 4.2               | 40                               |
| Lower extremities   | 40                               | 5.3               | 5                                |
| Leg(s)  | 30<br>20                         | 3.9<br>2.6        | 5<br>10                          |
| Knee(s)   | 20                               | ∠.0               | 10                               |
| I   |                                  |                   |                                  |

See footnotes at end of table.

TABLE 2. Number, incidence rate<sup>1</sup>, and median days<sup>2</sup> away from work for nonfatal occupational injuries and illnesses involving days away from work<sup>3</sup> for musculoskeletal disorders<sup>4</sup> by part of body and ownership, Tennessee, 2013 — Continued

| Part   | Musculoskeletal disorders (MSDs) |                   |                                  |
|--|----------------------------------|-------------------|----------------------------------|
|  | Number                           | Incidence<br>rate | Median<br>days away<br>from work |
|  |                                  |                   |                                  |
| Neck, including throat                                     |                                  | 1.0               | 3                                |
| Neck, except internal location of diseases or disorders    | 20                               | 1.0               | 3                                |
| P I.   | 540                              | 00.0              |                                  |
| Frunk  |                                  | 22.9              | 8                                |
| Back, including spine, spinal cord                         | 450                              | 20.6              | 8                                |
| Back, including spine, spinal cord, unspecified            |                                  | 7.6               | 6                                |
| Thoracic region  | 30                               | 1.3               | 3                                |
| Lumbar region  |                                  | 11.3              | 9                                |
| Abdomen  |                                  | .9                | 29                               |
| Abdomen, except internal location of diseases or disorders |                                  | .9                | 29                               |
| Pelvic region  | 20                               | .7                | 20                               |
| Jpper extremities  | 290                              | 13.3              | 25                               |
| Shoulder(s), including clavicle(s), scapula(e)             |                                  | 7.5               | 30                               |
| Arm(s)   | 40                               | 1.7               | 7                                |
| Elbow(s)   | 20                               | 1.0               | 7                                |
| Wrist(s)   | 40                               | 1.8               | 19                               |
| Multiple upper extremities locations                       |                                  | 2.1               | 25                               |
| Shoulder(s) and arm(s)                                     | 40                               | 1.9               | 25                               |
| Shoulder(s) and ann(s)                                     | 40                               | 1.5               | 25                               |
| Lower extremities  | 210                              | 9.3               | 9                                |
| Leg(s)   | 140                              | 6.4               | 9                                |
| Knee(s)  | 100                              | 4.4               | 14                               |
| Lower leg(s)   | 40                               | 1.8               | 9                                |
| Ankle(s)   | 50                               | 2.3               | 2                                |
| Multiple body parts  | 50                               | 2.3               | 43                               |

See footnotes at end of table.

TABLE 2. Number, incidence rate1, and median days2 away from work for nonfatal occupational injuries and illnesses involving days away from work<sup>3</sup> for musculoskeletal disorders<sup>4</sup> by part of body and ownership, Tennessee, 2013 — Continued

|                           | Musculoskeletal disorders (MSDs) |                   |                                  |
|---------------------------|----------------------------------|-------------------|----------------------------------|
| Part                      | Number                           | Incidence<br>rate | Median<br>days away<br>from work |
| Other multiple body parts | 40<br>40                         | 1.7<br>1.7        | 43<br>43                         |

<sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

of iniuries illnesses = number and EΗ hours worked employees = total by during the calendar year

20,000,000 = base full-time equivalent workers (working 40 hours per week, 50 weeks per year).

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.

<sup>&</sup>lt;sup>2</sup> Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>4</sup> Musculoskeletal disorders (MSDs) include cases where the nature of the injury or illness is pinched nerve; herniated disc; meniscus tear; sprains, strains, tears; hernia (traumatic and nontraumatic); pain, swelling, and numbness; carpal or tarsal tunnel syndrome; Raynaud's syndrome or phenomenon; musculoskeletal system and connective tissue diseases and disorders, and when the event or exposure leading to the injury or illness is overexertion and bodily reaction, unspecified; overexertion involving outside sources; repetitive motion involving microtasks; other and multiple exertions or bodily reactions; and rubbed, abraded, or jarred by vibration.

Excludes farms with fewer than 11 employees.

Data for Mining (Sector 21 in the North American Industry Classification System-- United States, 2007) include establishments not governed by the Mine Safety and Health Administration rules and reporting, such as those in Oil and Gas Extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore, estimates for these industries are not comparable to estimates in other industries

Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.